

DCA-BV5241



AHD 2.0 vanjska kompaktna dan/noć IR kamera, 1/2.8" Sony EXMOR CMOS, 2.8-12mm varifokal objektiv, rezolucija 1080p, osjetljivost 0 Lux IR ON (0.017Lux IR OFF), 3 IR LED 3 generacije dometa do 35-40m, D-WDR, napajanje 12VDC, IP66.

DCA-BV5242



AHD 2.0 vanjska kompaktna dan/noć IR kamera, 1/2.8" Sony EXMOR CMOS, 2.8-12mm varifokal objektiv, rezolucija 1080p, osjetljivost 0 Lux IR ON (0.017Lux IR OFF), 6 IR LED 3 generacije dometa do 25-35m, D-WDR, napajanje 12VDC, IP66.

DCA-MF522



AHD 2.0 vanjska kompaktna dan/noć IR kamera, 1/2.8" Sony EXMOR CMOS, rezolucija 1080p, objektiv 2.8 mm, D-WDR, osjetljivost 0 Lux IR ON (0.017Lux IR OFF), 48 IR Led dometa 20-30 m, napajanje 12VDC, IP65.

DCA-BV5241A



AHD 2.0 vanjska kompaktna dan/noć IR kamera, 1/2.9" Sony EXMOR CMOS, 2.8-12mm varifokal objektiv s motoriziranim zoomom, rezolucija 1080p, osjetljivost 0 Lux IR ON (0.017Lux IR OFF), 3 IR LED 3 generacije dometa do 35-40m, Double scan WDR, napajanje 12VDC, IP66.

DCA-BV2143



AHD 1.0 vanjska kompaktna dan/noć IR kamera, 1/3" Sony EXMOR CMOS, 2.8-12mm varifokal objektiv, rezolucija 960p, osjetljivost 0 Lux IR ON (0.005 Lux IR OFF), 3 IR LED 3 generacije dometa do 50-60m, D-WDR, napajanje 12VDC, potrošnja 5WA, IP66.

DCA-MF2131



AHD 1.0 vanjska kompaktna dan/noć IR kamera, 1/3" Aptina CMOS, 2.8mm fiksni objektiv, rezolucija 960p, osjetljivost 0 Lux IR ON (0.02 Lux IR OFF), 6 IR LED dometa 30-40m, D-WDR, napajanje 12VDC, potrošnja 60mA/340mA (IR ON), IP66

DCA-MF2132



AHD 1.0 vanjska kompaktna dan/noć IR kamera, 1/4" Aptina CMOS, 3.6mm fiksni objektiv, rezolucija 720p, osjetljivost 0 Lux IR ON (1.0 Lux IR OFF), 24 IR LED dometa do 10-20m, D-WDR, napajanje 12VDC, potrošnja 60mA/220mA (IR ON), IP66.

DCN-BF103



Vanjska kompaktna IP video kamera, 960p/25fps, 3,6 mm, H.264, ICR, 12VDC/PoE.

DCN-BF323



Vanjska kompaktna IP video kamera, 2Mpx/25fps, 3.6 mm, H.264, ICR, IC LED 20-30 m, 12VDC/PoE, audio in, Onvif.

DCN-BV3242



Vanjska kompaktna IP video kamera, 2Mpx/25fps, 2.8 - 12 mm, H.264, ICR, IC LED 20-30 m, 12VDC/PoE, audio in, Onvif.